

Hoppecke grid power VR L Series OPzV, GEL-technology, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510061	85072080	grid power VR L 2-215	2	213	105	208	420	18,3	161,70€
510062	85072080	grid power VR L 2-270	2	267	126	208	420	22,2	191,73€
510063	85072080	grid power VR L 2-325	2	320	147	208	420	26,5	222,92€
510009	85072080	grid power VR L 2-420	2	412	126	208	535	29,7	226,38€
510016	85072080	grid power VR L 2-500	2	495	147	208	535	35	258,72€
510024	85072080	grid power VR L 2-580	2	577	168	208	535	42,2	296,84€
510017	85072080	grid power VR L 2-720	2	718	147	193	710	49,4	328,02€
510018	85072080	grid power VR L 2-960	2	957	215	235	710	66,9	449,30€
510025	85072080	grid power VR L 2-1080	2	1077	215	235	710	77,6	505,89€
510014	85072080	grid power VR L 2-1200	2	1197	215	277	710	81,6	537,08€
510015	85072080	grid power VR L 2-1320	2	1316	215	277	710	92,3	591,36€
510010	85072080	grid power VR L 2-1440	2	1436	215	277	710	96,4	628,32€
510011	85072080	grid power VR L 2-1570	2	1570	215	277	855	111,4	720,72€
510019	85072080	grid power VR L 2-1830	2	1832	215	400	855	144	927,47€

Hoppecke grid power VR L Series OPzV, GEL-technology, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510045	85072080	grid power VR L 2-2100	2	2093	215	400	815	153,7	1.018,71€
510064	85072080	grid power VR L 2-2360	2	2355	215	490	815	180	1.120,35€
510065	85072080	grid power VR L 2-2620	2	2617	215	490	815	187,3	1.215,06€
510026	85072080	grid power VR L 2-2880	2	2878	215	580	815	213,2	1.319,01€
510001	85072080	grid power VR L 2-3140	2	3140	215	580	815	223,1	1.407,95€

Hoppecke sun power VR L Series OPzV, GEL-technology, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 100-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510066	85072080	sun power VR L 2-250	2	287	105	208	420	18,3	158,40€
510067	85072080	sun power VR L 2-310	2	359	126	208	420	22,3	187,00€
510068	85072080	sun power VR L 2-370	2	430	147	208	420	26,5	213,40€
510009	85072080	sun power VR L 2-420	2	478	126	208	535	29,9	215,60€
510069	85072080	sun power VR L 2-520	2	574	147	208	535	35,1	251,90€
510070	85072080	sun power VR L 2-620	2	670	168	208	710	42,1	289,30€
510003	85072080	sun power VR L 2-750	2	847	147	208	710	48,7	319,00€
510071	85072080	sun power VR L 2-875	2	990	215	193	710	61,3	400,40€
510072	85072080	sun power VR L 2-1000	2	1130	215	193	710	65,9	434,50€
510073	85072080	sun power VR L 2-1125	2	1271	215	235	710	75,6	488,40€
510074	85072080	sun power VR L 2-1250	2	1412	215	235	710	80,5	522,50€
510075	85072080	sun power VR L 2-1375	2	1553	215	235	710	89,3	574,20€
510076	85072080	sun power VR L 2-1500	2	1695	215	277	710	94,6	608,30€
510077	85072080	sun power VR L 2-1700	2	1955	215	277	855	110	697,40€

Hoppecke sun power VR L Series OPzV, GEL-technology, 20+years – Preisübersicht									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510078	85072080	sun power VR L 2-2000	2	2281	215	277	815	136,5	896,50€
510079	85072080	sun power VR L 2-2300	2	2607	215	400	815	152,9	979,00€
510080	85072080	sun power VR L 2-2600	2	2933	215	400	815	173	1.086,80€
510081	85072080	sun power VR L 2-2900	2	3258	215	490	815	186,5	1.174,80€
510082	85072080	sun power VR L 2-3200	2	3584	215	580	815	214,7	1.274,90€
510083	85072080	sun power VR L 2-3500	2	3910	215	580	815	222,3	1.361,80€

Hoppecke grid power VR L Series power.bloc OPzV, GEL-technology, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510167	85072080	grid power VR L 12-50	12	57	272	205	383	34	304,99€
510168	85072080	grid power VR L 12-100	12	114	272	205	383	52	438,50€
510169	85072080	grid power VR L 12-150	12	171	380	205	383	74	590,13€
510170	85072080	grid power VR L 6-200	6	228	272	205	383	51	399,21€
510171	85072080	grid power VR L 6-250	6	285	380	205	383	66	486,20€
510172	85072080	grid power VR L 6-300	6	342	380	205	383	73	547,06€

Hoppecke sun power VR L Series power.bloc OPzV, GEL-technology, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 100-hr rate to 1,8 V/c at+20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510173	85072080	sun power VR L 12-70	12	70	272	205	383	40	308,76€
510174	85072080	sun power VR L 12-120	12	130	272	205	383	52,5	447,15€
510175	85072080	sun power VR L 12-180	12	200	380	205	383	75,5	601,90€
510176	85072080	sun power VR L 6-250	6	270	272	205	383	51	407,29€
510177	85072080	sun power VR L 6-300	6	330	380	205	383	66	497,98€
510178	85072080	sun power VR L 6-370	6	400	380	205	383	73	558,75€

Hoppecke grid Xtreme Pure Lead (99.99%) HPPL-technology, 15 years, operating temperature -40°C to +55°C									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510114	85072080	grid Xtreme VR 12-80	12	82	254	174	233	25,7	188,60€
510038	85072080	grid Xtreme VR 12-110	12	110	320	174	232	34,1	244,67€
510115	85072080	grid Xtreme VR 12-150	12	158	359	174	283	46,6	333,30€
510116	85072080	grid Xtreme VR 12-170	12	178	498	174	233	51,4	376,23€
510117	85072080	grid Xtreme VR 12-100 FT 19"	12	102	552	110	220	36,5	246,87€
510118	85072080	grid Xtreme VR 12-100 FT 23"	12	124	552	125	220	38,8	261,06€
510119	85072080	grid Xtreme VR 12-150 FT	12	156	563	110	307	50,2	370,28€
510012	85072080	grid Xtreme VR 12-180 FT	12	185	551	125	305	58,4	413,55€
510053	85072080	grid Xtreme VR 12-200 FT	12	199	563	125	322	61,2	437,80€

Hoppecke grid Xtreme VR Pure Lead (99.99%) green series, HPPL-technology, 12+ years, operating temperature -35°C to +50°C									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510120	85072080	grid Xtreme VR 122700	12	81	254	174	233	25,2	172,70€
510028	85072080	grid Xtreme VR 123600	12	108	320	174	233	33,4	223,14€
510051	85072080	grid Xtreme VR 124400	12	156	359	174	283	45,7	301,95€
510054	85072080	grid Xtreme VR 125100	12	176	498	174	233	50,4	341,83€
510121	85072080	grid Xtreme VR 121000 FT 19"	12	93	563	125	200	30	223,52€
510122	85072080	grid Xtreme VR 121000 FT 23"	12	103	563	125	200	34	236,92€
510123	85072080	grid Xtreme VR 121500 FT	12	153	563	110	307	49,2	336,46€
510056	85072080	grid Xtreme VR 121800 FT	12	182	563	125	307	57,2	380,38€
510124	85072080	grid Xtreme VR 122000 FT	12	195	563	125	322	60	406,87€

Hoppecke grid power V L Series OPzS, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510090	85072020	grid power V L 2-215	2	213	105	208	420	17,3	136,03€
510091	85072020	grid power V L 2-270	2	266	126	208	420	21	157,69€
510092	85072020	grid power V L 2-325	2	320	147	208	420	24,9	187,00€
510093	85072020	grid power V L 2-390	2	390	126	208	535	29,3	200,78€
510094	85072020	grid power V L 2-470	2	495	147	208	535	34,4	219,02€
510095	85072020	grid power V L 2-550	2	546	168	208	535	39,5	243,65€
510096	85072020	grid power V L 2-690	2	686	147	208	710	46,1	277,58€
510097	85072020	grid power V L 2-805	2	801	215	193	710	59,1	338,75€
510098	85072020	grid power V L 2-920	2	915	215	193	710	63,1	372,68€
510099	85072020	grid power V L 2-1035	2	1026	215	235	710	72,4	406,01€
510100	85072020	grid power V L 2-1150	2	1140	215	235	710	76,4	442,94€
510101	85072020	grid power V L 2-1265	2	1256	215	277	710	86,6	492,42€
510102	85072020	grid power V L 2-1380	2	1370	215	277	710	90,6	532,95€
510103	85072020	grid power V L 2-1610	2	1610	215	277	855	110,4	619,14€

Hoppecke grid power V L Series OPzS, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510104	85072020	grid power V L 2-1880	2	1881	215	400	815	142,3	772,15€
510105	85072020	grid power V L 2-2015	2	2016	215	400	815	146,6	805,25€
510106	85072020	grid power V L 2-2150	2	2150	215	400	815	150,9	852,50€
510107	85072020	grid power V L 2-2420	2	2412	215	490	815	179,1	979,55€
510108	85072020	grid power V L 2-2555	2	2546	215	490	815	182,9	1.019,86€
510109	85072020	grid power V L 2-2690	2	2680	215	490	815	187,3	1.032,93€
510110	85072020	grid power V L 2-2960	2	2952	215	580	815	212,5	1.152,45€
510111	85072020	grid power V L 2-3095	2	3086	215	580	815	216,8	1.170,13€
510112	85072020	grid power V L 2-3230	2	3220	215	580	815	221,2	1.229,25€
510113	85072020	grid power V L 2-3500	2	3488	215	580	815	229,6	1.269,40€

Hoppecke grid power V L Series power.bloc OPzS, 20+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510084	85072080	grid power V L 12-50	12	50	272	205	383	37	272,58€
510085	85072080	grid power V L 12-100	12	101	272	205	383	48	383,46€
510086	85072080	grid power V L 12-150	12	151	380	205	383	67	524,37€
510087	85072080	grid power V L 6-200	6	202	272	205	383	47	346,50€
510088	85072080	grid power V L 6-250	6	252	380	205	383	60	420,42€
510089	85072080	grid power V L 6-300	6	302	380	205	383	67	478,17€

HOPPECKE grid power VR M / VR X Batterien, AGM-Technology EUROBAT 12+years									
Artikel	Custom Code	Series	Un, V	Capacity, 10-hr rate to 1,8 V/c at +20 °C (Ah)	Dimensions, mm			Weight	Unit Price
					L	W	H	kg.	EUR Netto
510179	85072020	grid power VR X 12-57	12	57	207	177	230	20,2	153,12€
510180	85072020	grid power VR X 12-63	12	63	229	177	230	23,8	178,20€
510181	85072020	grid power VR X 12-68	12	68	229	177	230	26	197,12€
510182	85072020	grid power VR X 12-88	12	88	344	177	230	33	233,75€
510183	85072020	grid power VR M 6-170	6	161	242	170	275	31,8	203,72€
510184	85072020	grid power VR M 6-220	6	220	308	170	275	39,6	261,75€
510185	85072020	grid power VR M 2-230	2	232	90	183	310	14,5	107,80€
510186	85072020	grid power VR M 2-330	2	343	183	129	310	20,9	148,50€
510187	85072020	grid power VR M 2-400	2	411	183	155	310	25,2	170,50€
510188	85072020	grid power VR M 2-600	2	604	183	226	310	38	251,63€
510189	85072020	grid power VR M 2-800	2	834	182	304	310	50,3	328,63€
510190	85072020	grid power VR M 2-1000	2	1070	182	391	310	64,2	400,84€

* Alle Preise verstehen sich netto zzgl. gesetzlicher MwSt. Zusätzlich berechnen wir 10 % Handling auf den Netto-Auftragswert. Versandkosten werden abhängig von Lieferadresse, Gewicht und Versandart berechnet und im Angebot ausgewiesen.